

ANALYTICA CHIMICA ACTA, VOL. 256 (1992)

AUTHOR INDEX

- Altrell, I., see Ljunggren, L. 75
- Aubeck, R.
— and Hampf, N.
Ion-selective membrane electrodes for the determination of pyrantel with low protein interference 257
- Bachas, L.G., see Freeman, M.K. 269
- Bagliano, G., see Kuvik, V. 163
- Barbosa, J.
—, Bosch, E., Cortina, J.L. and Rosés, M.
Improvement of the titrimetric method for the determination of total basicity and available lysine residues in proteinaceous samples in anhydrous acetic acid 177
—, Bosch, E., Cortina, J.L. and Rosés, M.
Ionic equilibria in amphiprotic solvents of low dielectric constant. Part 1. Dissociation constants of diprotic bases in anhydrous acetic acid 203
—, Bosch, E., Cortina, J.L. and Rosés, M.
Ionic equilibria in amphiprotic solvents of low dielectric constant. Part 2. Titration curves and buffer capacity of bases in anhydrous acetic acid 211
- Bechev, B.G., see Bochev, P.G. 29
- Bochev, P.G.
—, Bechev, B.G. and Magrisso, M.J.
Six-sample multiplexing computerized analyser for integral and spectral luminescence measurements 29
- Boelens, H.F.M., see Louwerse, D.J. 349
- Bos, A.
—, Bos, M. and Van der Linden, W.E.
Artificial neural networks as a tool for soft-modelling in quantitative analytical chemistry: the prediction of the water content of cheese 133
- Bos, M., see Bos, A. 133
- Bosch, E., see Barbosa, J. 177, 203, 211
- Bromberg, A., see Orly, Z. 33
- Cai, Y.-Q., see He, X.-C. 113
- Chen, G.Z., see Li, Y.Q. 285
- Chevalier, Y., see Rocher, V. 251
- Chimpalee, D., see Thorburn Burns, D. 87, 307
- Chiu, J.-H.
—, Chu, T.-C. and Weng, P.-S.
Extraction of technetium-99 by complexation with ammonium tetramethylenedithiocarbamate into chloroform and its application to the determination of technetium-99 in low-level radioactive wastes 293
- Chu, T.-C., see Chiu, J.-H. 293
- Cliffe, S.
—, Filippini, C., Schneider, M. and Fawer, M.
Membrane-type immobilized enzyme reactors for use in flow-injection analysis 53
- Cortina, J.L., see Barbosa, J. 177, 203, 211
- Cortina Villar, J.C.
—, Costa García, A. and Tuñón Blanco, P.
Determination of mitoxantrone using phase-selective a.c. adsorptive stripping voltammetry in a flow system with selectivity enhancement 231
- Costa García, A., see Cortina Villar, J.C. 231
- De la Guardia, M.
— and Peris-Cardells, E.
Use of flow injection in the study of micellar interactions 225
- De Maine, M.M., see De Maine, P.A.D. 361
- De Maine, P.A.D.
— and De Maine, M.M.
A computer tool kit for chemists. Part II. Maximum tolerance procedure 361
- Deron, S., see Kuvik, V. 163
- Dombek, V.
— and Stránský, Z.
Determination of alphas-methrine and cypermethrine in water and soil by capillary isotachopheresis 69
- Doubek, N., see Kuvik, V. 163
- Downard, A.J.
—, Powell, H.K.J. and Xu, S.
Flow-injection analysis for aluminium with indirect amperometric detection 117
- Drablos, F.
Transformations for mass spectra 145
- Eichhorn, E.
—, Rieker, A. and Speiser, B.
Numerical method to correct *iR* drop errors in cyclic voltammetric potential data for (quasi)reversible electrode processes 243
- Erni, F., see Keller, H.R. 125
- Földén, K., see Kankare, J. 17
- Fawer, M., see Cliffe, S. 53
- Filippini, C., see Cliffe, S. 53
- Freeman, M.K.
— and Bachas, L.G.
Fiber optic sensor for NO_x 269
- Frishman, G., see Orly, Z. 33
- Furusawa, M., see Kiba, N. 221

- Gamoh, K.
—, Takatsuto, S. and Ikekawa, N.
Effective separation of C-24 epimeric brassinosteroids by liquid chromatography 319
- Gómez Benito, C., see Martínez Calatayud, J. 105
- Guilbault, G.G., see Krug, A. 263
- Gutzman, D.W., see Langford, C.H. 183
- Haapakka, K., see Kankare, J. 17
- Hampp, N., see Aubeck, R. 257
- He, X.-C.
—, Cai, Y.-Q. and Hu, Z.-D.
Flow-injection spectrophotometric determination of palladium with DCS-arsenazo 113
- Hemmilä, I.A., see Xu, Y.-Y. 9
- Hieftje, G.M., see Zhu, C. 97
- Hsieh, A.-K.
— and Ong, T.-H.
Trace determination of molybdenum using a catalytic current in differential-pulse polarography 237
- Hu, Z.-D., see He, X.-C. 113
- Huang, X.Z., see Li, Y.Q. 285
- Iida, C., see Uchida, T. 277
- Ikekawa, N., see Gamoh, K. 319
- Imasaka, T.
—, Nishitani, K. and Ishibashi, N.
Determination of anthracene derivatives by cyclodextrin-modified micellar electrokinetic chromatography combined with helium-cadmium laser fluorimetry 3
- Imbert, J.-L., see Pin, C. 153
- Ishibashi, N., see Imasaka, T. 3
- Isoyama, H., see Uchida, T. 277
- Jaffrezic-Renault, N., see Rocher, V. 251
- Jammet, G., see Kuvik, V. 163
- Johansson, G., see Ljunggren, L. 75
- Kadenko, I., see Zaitsev, V.N. 323
- Kankare, J.
—, Földén, K., Kulmala, S. and Haapakka, K.
Cathodically induced time-resolved lanthanide(III) electroluminescence at stationary aluminium disc electrodes 17
- Keller, H.R.
—, Massart, D.L., Kiechle, P. and Erni, F.
Effect of the scan time on methods based on evolving factor analysis in liquid chromatography 125
- Kiba, N.
—, Moriya, T. and Furusawa, M.
Flow-injection determination of L-glutamate in serum with an immobilized glutamate dehydrogenase reactor 221
- Kiechle, P., see Keller, H.R. 125
- Kikuchi, Y.
—, Takahashi, N., Suzuki, T. and Sawada, K.
Liquid-liquid extraction of alkali metal ions with non-ionic surfactant having a poly(oxyethylene) chain 311
- Klein, M., see Orly, Z. 33
- Kolev, S.D.
— and Van der Linden, W.E.
Limits of mass transfer in parallel-plate dialysers 301
- Krug, A.
—, Suleiman, A.A. and Guilbault, G.G.
Enzyme-based fiber-optic device for the determination of total and free cholesterol 263
- Kulmala, S., see Kankare, J. 17
- Kuselman, I.
—, Kuyavskaya, B.I. and Lev, O.
Disposable tube detectors for water analysis 65
- Kuvik, V.
—, Lecouteux, C., Doubek, N., Ronesch, K., Jammet, G., Baglioni, G. and Deron, S.
The Macdonald and Savage titrimetric procedure scaled down to 4 mg sized plutonium samples. Part 1. Basic potentiometric procedure 163
- Kuyavskaya, B.I., see Kuselman, I. 65
- Lacombe, S., see Pin, C. 153
- Langford, C.H.
— and Gutzman, D.W.
Kinetic studies of metal ion speciation 183
- Lecouteux, C., see Kuvik, V. 163
- Lejeune, R.
Adsorptive stripping voltammetry of clonidine at a hanging mercury drop electrode 59
- Le Perche, P., see Rocher, V. 251
- Lev, O., see Kuselman, I. 65
- Li, Y.Q.
—, Huang, X.Z., Xu, J.G. and Chen, G.Z.
Derivative constant-energy synchronous fluorescence for simultaneous analysis of polynuclear aromatic hydrocarbon mixtures 285
- Ljunggren, L.
—, Altmann, I., Rinsing, L. and Johansson, G.
Trace enrichment of aluminium ions on immobilized desferrioxamine 75
- Louwerse, D.J.
—, Boelens, H.F.M. and Smit, H.C.
Single-sequence correlation chromatography. A novel technique to decrease detection limits 349
- Magrisso, M.J., see Bochev, P.G. 29
- Martínez Calatayud, J.
— and Gómez Benito, C.
Photochemical derivatization and spectrofluorimetric determination of chlorpromazine by flow injection 105
- Massart, D.L., see Keller, H.R. 125
- Matsuzawa, K., see Ohtsuka, C. 91
- Moriya, T., see Kiba, N. 221
- Nakagawa, G., see Ohtsuka, C. 91
- Nakagawa, G., see Uchida, T. 277
- Nishitani, K., see Imasaka, T. 3

- Oguchi, K., see Uchida, T. 277
- Ohtsuka, C.
—, Matsuzawa, K., Wada, H. and Nakagawa, G.
Characterization of 2-(2-pyridylazo)-5-[N-(sulphoalkyl)-aminophenol derivatives as the precolumn chelating agent for trace metal determination by ion-pair reversed-phase liquid chromatography with spectrophotometric detection 91
- Ong, T.-H., see Hsieh, A.-K. 237
- Orly, Z.
—, Zilberstein, J., Frishman, G., Klein, M. and Bromberg, A.
Flow cell for fluorescence studies of solid particle surfaces 33
- Peris-Cardells, E., see De la Guardia, M. 225
- Perrot, H., see Rocher, V. 251
- Pin, C.
—, Lacombe, S., Telouk, P. and Imbert, J.-L.
Isotope dilution inductively coupled plasma mass spectrometry: a straightforward method for rapid and accurate determination of uranium and thorium in silicate rocks 153
- Powell, H.K.J., see Downard, A.J. 117
- Powell, H.K.J., see Town, R.M. 81
- Rechnitz, G.A., see Wijesuriya, D. 39
- Rieker, A., see Eichhorn, E. 243
- Risinger, L., see Ljunggren, L. 75
- Rocher, V.
—, Jaffrezic-Renault, N., Perrot, H., Chevalier, Y. and Le Perche, P.
Nitrate-sensitive field-effect transistor with silica gate insulator modified by chemical grafting 251
- Ronesch, K., see Kuvik, V. 163
- Rosés, M., see Barbosa, J. 177, 203, 211
- Sawada, K., see Kikuchi, Y. 311
- Schneider, M., see Cliffe, S. 53
- Scott, D.A.
— and Skillen, A.W.
Amperometric enzyme electrode for NADH detection employing co-immobilized lactate dehydrogenase and lactate oxidase 47
- Seubert, A.
— and Wünsch, G.
Ultraspuerenanalytik in hochreinem Molybdän und Wolfram mit ionenchromatographischer Spuren-Matrix-Trennung Teil 2. Ionenchromatographische Ultraspuerenanalyse 331
- Skillen, A.W., see Scott, D.A. 47
- Skopenko, E.V., see Zaitsev, V.N. 323
- Smit, H.C., see Louwerse, D.J. 349
- Speiser, B., see Eichhorn, E. 243
- Stránský, Z., see Dombek, V. 69
- Strelko, V.V., see Zaitsev, V.N. 323
- Sugie, H., see Uchida, T. 277
- Suleiman, A.A., see Krug, A. 263
- Suzuki, T., see Kikuchi, Y. 311
- Takahashi, N., see Kikuchi, Y. 311
- Takatsuto, S., see Gamoh, K. 319
- Telouk, P., see Pin, C. 153
- Thorburn Burns, D.
— and Chimpalee, D.
Spectrophotometric determination of bismuth after extraction of 1-naphthylmethyltriphenylphosphonium tetraiodobismuthate(III) with microcrystalline benzophenone 87
— and Chimpalee, D.
Spectrophotometric determination of niobium after extraction with thiocyanate and 1-naphthylmethyltriphenylphosphonium chloride into microcrystalline 1,4-dichlorobenzene 307
- Town, R.M.
— and Powell, H.K.J.
Elimination of adsorption effects in gel permeation chromatography of humic substances 81
- Tuñón Blanco, P., see Cortina Villar, J.C. 231
- Uchida, T.
—, Ioyama, H., Yamada, K., Oguchi, K., Nakagawa, G., Sugie, H. and Iida, C.
Determination of twelve elements in botanical samples with inductively coupled plasma atomic emission spectrometry after leaching with tetramethylammonium hydroxide and ethylenediaminetetraacetic acid 277
- Van der Linden, W.E., see Bos, A. 133
- Van der Linden, W.E., see Kolev, S.D. 301
- Wada, H., see Ohtsuka, C. 91
- Weng, P.-S., see Chiu, J.-H. 293
- Wijesuriya, D.
— and Rechnitz, G.A.
Construction and properties of a pyrazinamide-selective biosensor using chemoreceptor structures from crayfish 39
- Wünsch, G., see Seubert, A. 331
- Xu, J.G., see Li, Y.Q. 285
- Xu, S., see Downard, A.J. 117
- Xu, Y.-Y.
— and Hemmilä, I.A.
Co-fluorescence enhancement system based on pivaloyltrifluoroacetone and yttrium for the simultaneous detection of europium, terbium, samarium and dysprosium 9
- Yamada, K., see Uchida, T. 277
- Zaitsev, V.N.
—, Kadenko, I., Strelko, V.V. and Skopenko, E.V.
Immobilization of large low-charge anions for the preparation of selective caesium adsorbents 323
- Zhu, C.
— and Hieftje, G.M.
On-line determination of bromide ion in spent brine 97
- Zilberstein, J., see Orly, Z. 33